
MOSSBERG SOCKET WRENCH SET

No. 13



A set arranged to contain all important Hexagon Sockets, including Spark Plug Sockets, Extension Bar, and No. 355 Ratchet Handle. To those desiring maximum value for minimum price we recommend Set No. 13. Contains besides the above mentioned tools 15 Rust-proof Pressed Steel Sockets of the following inside dimensions: 13"32", 15/32", 17/32", 19/32", 5", 21/32", 23/32", 25/32", 14", 27/32", 29/32", 1", 1-1/32", 1-3/32".

MOSSBERG SOCKET WRENCH SET

No. 10-Automobile Set



A valuable set for the owner's use or for any garage or repair shop. Set includes wooden box with the following tools:

Mossberg Ratchet Handle, No. 350; Extension Bar, 9½" long, No. 351; Universal Joint No. 336; Double-End

Offset Screw Driver; 21 Rustproof Finished Pressed Steel Sockets of the following size Hexagon openings: 15/32", ½", 17/32", 19/32", ½", 21/32", ½", 23/32", 25/32", ¼", 27/32", ¾", 29/32", 31/32", 11-1/32", 1-3/32", 1-5/32", 1-9/32"; 2 Special Hexagon Spark Plug Sockets, 4" long with openings 29/32", 1-5/32".

No. 10 Mossberg Socket Wrench Set, Complete in Wooden Box. List Price.......\$10.0

MOSSBERG SOCKET WRENCH SET

No. 16



"For All Small Cars."

This set contains in a concentrated manner every wrench necessary for all small cars, and will enable the motorist to handle his roadside repairs or adjustments with ease, as well as being indispensable in the garage. Contains 1 No. 350 Handle; 1 Tubular Extension Bar, 9½" long, No. 351; 1 Universal Joint, No. 356; 1 Double-End Offset Screw Driver; 14 sizes Sockets, Hexagon and Square in black rust-proof nish. Hexagon size: 17/32", 19/32", 21/32", 23/32", 25/32", 27/32", 29/32", 1-9/32"; Square Socket sizes: 13/32", 15/32", 17/32", 21/32"; 1 Spark Plug Socket,

No. 16 Socket Wrench Set, in neat Wood Box. \$7.50 List Price

MOSSBERG SOCKET WRENCH SET

No. 14



A complete medium-priced set-37 steel sockets that fit all U. S. Standard Bolts and Nuts from 1/4" to "A" hexagon and up to 1" square; S. A. E. Standard Nuts and Screws from ¼" to ¾"; Hexagon Head Cap Screws: Hexagon from ¼" to 1"; Square from ¼" to ¾"; Coach Screws to ¾", and all Set Screws to %".


No. 14 Socket Wrench Set contains 1 No. 350 Reversible Ratchet Socket Handle; 1 No. 320 "L" Handle; 1 No. 330 "T" Handle; 1 No. 351 Long Ex-tension; 1 No. 336 Universal Joint; 5 Engineers' Wrenches, S. A. E. openings f_8 ", 13/32", f_8 ", f_8 ", f1 Cotter Fin Extractor; 1 Gripsall Pipe Wrench; 3 Special Spark Plug Sockets, 29/32", 31/32", 1-5/32" hexagon; 34 Steel Sockets: Hexagon, ½", ¾", 15/32", ½", 17/32", 19/32", ½", 21/32", ½", 17/32", 19/32", ½", 21/32", ½", 17/32", ½", 29/32", 31/32", 1", 1-1/32", 1-5/32", 1-9/32". Square, 13/32", 15/32", 17/32", 19/32", 21/32", 23/32", 25/32", 29/32", 1-1/32", 1-5/32", 1-9/32".

No. 14 Socket Wrench Set, in Chestnut Box.

\$17.00 List Price

MOSSBERG "HEAVY DUTY" SOCKET SPEED BRACE WRENCH SET

No. 45



With 15 Sockets, fitting all U. S. Std. and S. A. E. bolts, nuts or screws up to %" diameter. Made extra heavy, with Universal Joint and Connection Socket. Maximum length, 194". Parker rustproof finish.

No. 45 Set contains 1 Speed Brace Handle, No. 359, with interchangeable sockets held to handle by ball spring friction; 1 Universal Joint, No. 336; 1 Connection Socket, No. 167—17/32" square socket for use as connection unit; 15 sizes of all steel, indestructible, Heavy Duty Sockets as follows: opening inches, 29/64", 33/64", 37/64", 39/64", 41/64", 49/64", 45/64", 51/64", 53/64", 57/64", 61/64", 63/64", 1-1/64", 1-5/64", 1-7/64".

No. 45 Mossberg "Speed Brace Set," in Chestnut Box. List Price......\$11.00 ALL PRICES AND DISCOUNTS
SUBJECT TO CHANGE
WITHOUT NOTICE!

But we Guarantee

THAT EVERY PRICE IS AS LOW


as the Quality of Merchandise

Will Permit

PITTSBURGH AUTO EQUIPMENT CO.

MOSSBERG HEAVY DUTY SOCKET WRENCH SET No. 20

"LARGE SERIES"



A valuable and necessary set of Socket Wrenches for larger jobs where a much stronger leverage is required. By means of an ingenius connection bushing the opening in the sockets may be reduced for smaller nuts. All tools neatly finished in rust-proof finish. Set contains Ratchet Socket Handle, No. 357; 18" long Offset Socket Wrench Handle, No. 324; 10" Extension Tube, No. 349; 18" Extension Tube, No. 349; Universal Joint, No. 337 (for indirect adjustment); Connecting Bushing for small series sockets, No. 338; 15 Heavy Duty Steel Sockets as follows:

LARGE SERIES PRESSED STEEL SOCKETS

	HEXAGON	
Size Opening Hex. Socket	Fits U. S. Std. Bolt Size	Fits S. A. E. Std. Cap Screw Size
29/32"	1/2 "	18"
1-3/32"	56"	34."
1.9/32"	7/4"	7/8 "
1-15/32" 1-21/32"	1"	11/6"
1-27/32"	11/4"	114"
2-1/32"	114"	136"
2-7/32"	1 % "	11/2"
2-13/32"	11/6"	******

LARGE SERIES PRESSED STEEL SOCKETS

Size Opening	Fits U.S. Std.	Fits S. A. E. Std.
Hex. Socket	Bolt Size	Cap Screw Size
29/32"	1/2"	7/8"
1-3/32"	56"	
1-9/32"	%"	11/4"
1-15/32"	76"	
1-21/32"	1"	
2-1/32"	114"	******

No. 20 Socket Wrench Set, packed in Wooden Box. List Price \$25.00

DOUBLE-END SOCKET WRENCH



For deep and close offset work. One-piece heavy drop forging. An excellent type wrench for use where a greater leverage is required than with the ordinary swivel type socket wrenches. Neat ebony finish.

No.	Size Opening	U. S. S. Hex. Nuts	U. S. S. Hex. Cap Screws	List Price Each
06	13/32"	,a, "	Contract	\$.60
6	7."	0.00000	1/4"	.60
6 7	1/4"	1/4"	15"	.72
8	2."	2,202	36"	.88
9	56."	5"	7g"	1.00
10	11."	3/4"	*****	1.08
12	13"	30"	201112	1.20
11	34 "	2	1/2 **	1.12
12	48"	2 0	9.0	1.20
13	7/4"	1,6"	56"	1.33
14	10."	14"		1.33


MOSSBERG 6" "T" HANDLE SOCKET WRENCHES



Extra strong Wrenches built for the hardest kind of service. Each wrench is case hardened, 6" long over all. Made of ½" steel stock and finished in rustproof black. Packed 6 of a size in a cardboard box.

	11.10	Fits. U.S.		Fits Hex.
	Size Hex.	Std. Nuts	S.A.E.	Head Cap
Wrench	Socket	& Bolts	Cap Screw	Screw
No.	Opening	Size	Size	Size
1129	29/64"		14"	14"
1133	33/64"	1/4"	10"	
1137	37/64"		36"	18" %"
1139	39/64"	Pe "		
1141	41/64"		τ̄σ"	γ ² σ "
1145	45/64"	3/8 "	16	1.0
1149	49/64"		1/2"	1/20
1151	51/64"	16"		
1153	53/64"			18"
1157	57/64"	1/2"	9 m	567
1161	61/64"	1000	56"	
1163	63/64"	7e "	/0	777
1165	1-1/64"	16	11."	34"
1169	1-5/64"	56 ~	34 "	
1181	1-17/64"	34."	76"	1"

MOSSBERG OFFSET 10" SOLID SOCKET WRENCHES




Built of ½" steel bar, the sockets being drawn from flat stock. Round outside, but with no more clearance needed than other types, but about twice the strength. Case hardened; length, 10" over all-Finished in rust-proof black. Packed 6 of one size in cardboard carton.

		Fits. U. S.	Fits	Fits Hex.
	Size Hex	Std. Nuts		Head Cap
Wrench	Socket	& Bolts	Cap Screw	
No.	Opening	Size	Size	Size
1529	29/64"		3/4"	1/4"
1533	33/64"	14."	5"	5.4
1537	37/64"		3/8 "	36"
1539	39/64"	30 "		
1541	41/64"	141	1g.,,	76"
1545	45/64"	3/4 "	16	10
1549	49/64"		1/4"	1/2"
1551	51/64"	370 "	72	
1553	53/64"	10		24"
1557	57/64"	1/4"	9 "	56"
1561	61/64"	72	56"	
1563	63/64"	9.4		
1565	1-1/64"	16	13."	34.11
1569	1-5/64"	56"	36.77	1
1581	1-17/64"	34"	76 "	1"
Mossberg	Solid 10"	Offset Sock	257 2772	

WHOLESALE DISTRIBUTORS

MOSSBERG 12" "T" HANDLE SOLID SOCKET WRENCHES



All indestructible heavy duty sockets are case hardened.

Construction—1/2" steel bar. Length—12" over all. Finish—Rust-proof black.

Packing-Six of a size in a cardboard carton.

		Fits. U.S.	Fits	Fits Hex.
	Size Hex.	Std. Nuts	S.A.E.	Head Cap
Wrench	Socket	& Bolts		w Screw
No.	Opening	Size	Size	Size
1329	29/64"	******	1/4 "	1,4"
1333	33/64"	1/4"	-5x M	100
1337	37/64"		34.11	3, "
1339	39/64"	12.00		
1341	41/64"		" sr	77 "
1345	45/64"	3/4"		
1349	49/64"		1/2"	1/2"
1351	51/64"	76"		
1353	53/64"	****	******	200
1357	57/64"	1/2 "	2"	5/4"
1361	61/64"		56 "	
1363	63/64"	9 "	1111111	447700
1365	1-1/64"		11"	34"
1369	1-5/64"	56"	34 "	
1381	1-17/64"	34 "	76 "	1"
Mossber	g Solid 12" "T"	Handle So	cket Wren	ches.
	Price, Each			\$.78

MOSSBERG SOLID SPEED BRACE SOCKET WRENCHES



The sockets are drawn from cold rolled strip steel with accurate hexagon openings, but are perfectly round outside. The addition of this extra metal across outside faces of sockets causes these sockets to be veritably indestructible.

All indestructible sockets are case hardened. Top swivel handles are steel-drawn from flat stock.

Construction—½" steel bar, with bell-shaped steel swivel top handle. Length—19¼" long. Finish—Rust-proof black. Packing—6 of a size in cardboard carton. Following is a complete list of Mossberg "All-Steel" Speed Brace Socket Wrenches:

	MINES . IN A DESIGNATION	Fits. U.S.	Fits	Fits Hex.
	Size Hex.	Std. Nuts	S.A.E.	Head Cap
Wrench	Socket	& Bolts	Cap Screv	Screw
No.	Opening	Size	Size	Size
1729	29/64"		1/4"	1/4"
1733	33/64"	1/4"	18"	16"
1737	37/64"	******	36"	3/8"
1739	39/64"	Se"		
1741	41/64"	170	75"	7 "
1745	45/64"	36"	10000	******
1749	49/64"	*****	3/2"	1/2"
1751	51/64"	70"		400000
1753	53/64"		44000	2"
1757	57/64"	1/2"	2 "	5/2"
1761	61/64"		54"	******
1763	63/64"	10"		CAMPAGE
1765	1-1/64"	Alexand .	11"	34"
1769	1-5/64"	54"	34.0	
1781	1.17/64"	34"	76"	1"
	Speed Brace	Socket Wre		sizes.

Mossberg Speed Brace Socket Wrenches, all sizes. List Price, Each......\$1.00

MOSSBERG SMALL SERIES PRESSED STEEL SOCKETS



	-		
	SQL	JARE	Fits Square
	Size Hex.	Fits U. S. Std.	Head
Wrench	Socket	Nuts & Bolts	Cap Screw
No.	Opening	Size	Size
163	13/32"	*****	1/4 "
165	15/32"		10"
167	17/32"	1/4 11	36"
169	19/32"		70"
171	21/32"	70.00	1/2"
173	23/32"	3/8"	15"
175	25/32"	22.22	56 "
179	29/32"	1/2"	34 "
183	1-1/32"	D #	· ·
187	1.5/32"		7/9 "
191	1-9/32"	34"	1"
List Price			\$.20

PITTSBURGH AUTO EQUIPMENT CO.

MOSSBERG SMALL SERIES PRESSED STEEL SOCKETS



HEXAGON

Wrench No.	Size Hex. Socket Opening	Fits. U. S. Std. Nuts & Bolts Size	S.A.E. Cap Screv Size	Fits Hex. Head Cap W Screw Size
113	15/32"	******	14"	1/4"
117	17/32"	3/4"	18"	75"
119	19/32"		3/8"	3/8"
120	5/8"	14"	*****	
121	21/32"	annon.	Tg"	16"
123	23/32"	36"	Milder	400000
125	25/32"		1/2"	1/2"
126	13/16"	16"	*****	
127	27/32"	******		16"
129	29/32"	1/2"	10"	56"
131	31/32"	***************************************	56"	*****
132	1"	16"		
133	1-1/32"		14"	34 "
135	1-3/32"	56"	34"	101111
137	1-5/32"	431,000	*****	76"
141	1-9/32"	34."	78"	1"
List Price	, Each			\$ 20

MOSSBERG HEAVY DUTY SOCKETS




Actually have three times the strength of ordinary sockets, as they are drawn from flat stock, and resist strains which would destroy the ordinary socket

Wrench	Sizes of Hex.	Fits U. S. Std. Nuts and Bolts	Fits S. A. E. Standard Screw	Hex. Head Cap
No.	Sockets	Size	Size	Screws
1028	29/64"	*****	14."	1/4"
1033	33/64"	34"	re"	18"
1037	37/64"	******	3/4"	36"
1039	39/64"	da"	******	****
1041	41/64"		77."	TH "
1045	45/64"	3/8"		*****
1049	49/64"	*****	1/6"	1/2"
1051	51/64"	10 "		
1053	53/64"	*****	******	10."
1057	57/64"	1/2"	20"	56 "
1061	61/64"		56"	*****
1063	63/64"	20"	411111	
1065	1-1/64"		11."	34 "
1069	1.5/64"	56"	34"	******
1081	1-17/64"	34"	76"	1"

Mossberg Heavy Duty Sockets. List Price, Each, \$.34

MOTOR MECHANIC'S WRENCH CABINET SET

Mossberg No. 1000



A magnificent assortment of the finest tools made with a handsome chestnut cabinet to keep them in. This cabinet is fitted with lock and key to prevent theft of tools, a continual source of loss in every garage, and finished in natural wood color. Cabinet is 30" wide, 11" deep, 27" high. Contains the following tools.

Speed Brace	12" "T" Handle	Size Socke
Nos.	Socket Wrenches	Openings
1733	1000-000-000-000-000-000-000-000-000-00	33/64"
1737	1337	37/64"
1739	<u></u>	39/64"
1741	1431	41/64"
1745	1345	45/64"
1749	1349	49/64"
1751		51/64"
1753	*******	53/64"
1757	1357	57/64"
1761	*1.00	61/64"

Fitting all U. S. Std. nuts and bolts—bolt size, $\frac{1}{4}$ " to $\frac{5}{2}$ " inclusive; $\frac{1}{16}$ " to $\frac{5}{2}$ " S. A. E. Std. screw sizes.

Double-End Engineers' Wrenches, No.	Size of Openings
220	-5-" x %"
232	1/2" x -2-"
234	19/32" x 1/9"
244	11 " x 7a"
254	25/32" x %"
267	76" x 36"
274	31/32" x 3%"
278	1 \
293	1¼" x 1¼"

No. 74, 4%" Adjustable Wrench. No. 610, Universal Valve Grinder.

No. 361, Demountable Rim Brace Wrench, for Kelsey Rims.

No. 362, Demountable Rim Brace Wrench, for Firestone Rims.

No. 363, Demountable Rim Brace Baker, etc., Rims.

No. 100, Sterling Plier.

No. 655, Universal Valve Lifter.

SPECIAL WRENCHES FOR FORDS No. 624, Ratchet Socket Wrench for Connecting

Rod. No. 635, Spark Plug and Cylinder Head Screw Wrench.

No. 637, Flywheel Cap Screw Wrench.

No. 660, Wheel Puller, for Ford and Chevrolet. No. 630, Triple End Cylinder Head Screw and Rear Axle Housing Nut Wrench.

No. 650, Hub Cap Wrench,

No. 645, Ratchet Reverse and Brake Pedal Tension Spring Wrench.

Motor Mechanics' Cabinet Set, No. 1000, with Cabinet and tools above listed. List Price, \$50.00

2.40

MOSSBERG "SMALL SERIES" SOCKET DISPLAY CHEST No. 300



To enable the dealer to increase his business on socket wrenches the Mossberg Company has carefully arranged No. 300 Chest of Drawers to be offered free for as long as he shall utilize it to sell Mossberg wrenches.

This particular assortment of sockets and handles has been carefully made up from a year's record of sales, and the quantity of each unit is in direct pro-portion to its demand. Empty kits are included in the assortment for containers of special sets made up from this stock.

No. 300 Chest is a beautifully finished store fixture made of selected chestnut and is 14%" high, 21" wide, 121/2" deep, with eight drawers.

No. 300 Assortment includes:

300	Regular Guaranteed Pressed Steel Sockets,	
	Parker Rust-proof, assorted sizes at \$2.40	
	per doz \$	60.00
21	Pressed Steel Spark Plug Socket Wrenches	
	assorted, 40¢ each	8.40
4	No. 350 Reverse Ratchet Socket Handles	

\$2.50 each 10.00 4 No. 355 Ratchet Handles, \$1.25 each.... 5.00 4 No. 322 Double-End Offset and Vertical Handles, 35¢ each.. 4 No. 340 Take-down T Handles, 60¢ each.... 2.40 2.20


350 Units.

Mossberg No. 300 Chest Complete, with Chest List Price

5 Canvas Tool Rolls, circulars, etc., no charge.

MOSSBERG No. H. "T" HANDLE SOCKET WRENCH DISPLAY BOARD

WITH 162 WRENCHES



The easiest way to sell Wrenches is invariably to show them where the customer can make his own choice and handle the tools themselves. No. H Display Board is exactly for this purpose. Measures 24" x 70" in size, and is constructed of the finest chestnut with three coats of varnish, each wrench being tagged with its number, size and price. Each pair of hooks on the Board holds two Wrenches and the assortment is chosen from the most popular selling numbers. More than two wrenches are fur-nished in the most popular sizes, thus giving a small reserve stock. Put an H Display Board in your store and watch the Wrenches sell! Contains the following tools:

			-				Fitz U.S.	Fits	Fits. Hex.
6" T Handle Socket	Quan- tity in	12" T Handle Socket	tity in	10" Offset Socket	Quan- tity in	Size Hex. Socket	Std. Nuts and Bolts	S. A. E. Cap Screw	
Wrench No.	Set	Wrench No.	Set	Wrench No.	Set	Opening	Size	Size	Size
1129	3	1329	4	********		29/64"	4.4.0	14."	34"
1133	5	1333	6	1533	4	33/64"	14"	1.9	16
1137	5	1337	6	1537	4	37/64"	211111	76"	3/8"
1139	5	1339	6	1539	4	39/64"	าร์ช "	40000	*****
1141	8	1341	8	1541	6	41/64"		16"	18"
1145	5	1345	6	1545	4	45/64"	36"		warmen.
1149	5	1351	6	1549	4	49/64"	*****	1/2"	1/2"
1151	9	1351	4	********	****	51/64"	78"		*****
1153	2	1353	4		****	53/64"	****	******	14"
1157	5	1357	6	1557	4	57/64"	1/2"	18"	56"
1161	9	1361	4	1561	2	61/64"	*****	56"	******
1163	9	1363	3			63/64"	76"	803304	*****
1165	9	1365	3	2000000		1-1/64"	*****	38"	34 "
1169	0	1569	2	**********	4444	1 15/16"	5,8 "	34 "	Acres .
	2	1381	2			1-17/64"	34."	76"	1"
"H" Display	Board	with 162 Wre	nches, al	bove listed.	List Pri	ce			\$128.00

WRENCH DISPLAY BOARD ASSORTMENT

MOSSBERG No. "K"



A handsomely finished Board, size 15" x 12", equipped with steel hooks for holding Wrenches, and easel back for display purposes on the store counter. Thirty Wrenches are included with this Board, consisting of the best selling numbers of Mossberg Monkey Wrenches.

ASSORTMENT INCLUDES

- 4 No. 1, 5" N. P. Steel Monkey Wrenches, List Price, Each \$.65 3 No. 2, 61/2" N. P. Steel Monkey

- No. 1 Jr., 3" N. P. Pocket
- Wrenches. List Price, Each 1.40
- 2 No. 74, 43/2" Mottled Bicycle Wrenches. List Price, Each \$.80 2 No. 76, 6" N. P. Telescope
- Wrenches. List Price, Each 1.40 4 No. K-7, 7" Tire Handle
- Wrenches. List Price, Each .95
 Wrenches. List Price, Each .62
 Wrenches. List Price, Each .62
 No. 74, 4½" N. P. Bicycle
 Wrenches. List Price, Each 1.00
 Wenches. List Price, Each .62
 No. 74, 4½" N. P. Bicycle
 Wrenches. List Price, Each .62
 No. 75, 77 Tire Handle
 - Steel Monkey Wrench. List Price, Each.....

SPEED BRACE WRENCH DISPLAY BOARD ASSORTMENT

Mossberg No. 1700



Consists of a handsome 5 ft. 10" high by 2 ft. wide Display Board, with metal hooks for holding each size wrench. Includes 75 Speed Brace Socket Wrenches, fitting all size U. S. Std. nuts and bolts from 4" to 4" bolt size; and all S. A. E. Std. screw sizes from 14" to 78" bolt size. Assortment includes a larger quantity of the best selling sizes and a smaller quantity of the ones which do not sell quite so quickly. As the Assortment includes more than two wrenches of some sizes, a reserve stock is always on hand, which may be put on the Display Board as fast as the Wrenches are sold.

No. 1700 Socket Wrench Display Board Complete, with 75 Wrenches. List Price......\$89.00

No. 600 SALESMAN MOSSBERG TOOLS

"Almost Every Tool Ever Used on a Ford"



This is without a doubt the best Ford Display Board for selling tools for Fords ever put on the market. Very handsome in appearance with rack or hook, which shows each item attractively, and yet allows sufficient space to keep your stock always complete. Display Board is 24" x 70" in size, finished in natural chestnut, with three coats of varnish. Contains the following tools especially adapted to Ford cars:

8 No. 623 Special Wrenches for Connecting Rods.

4 No. 624 Reversible Ratchet Wrenches for Connecting Rods.

8 No. 630 Triple End Wrenches for Cylinder Head Screw and Rear Axle Housing Bolts.

No. 631 Reversible Ratchet Wrenches for Cylinder Head Screws and Rear Axle Bolts.

- 8 No. 635 Wrenches for Spark Plug and Cylinder Head Screws.
- 6 No. 637 Flywheel Cap Screw Wrenches.
- 6 No. 645 Ratchet Wrenches for Reverse and Brake Pedal Tension Springs.
- 6 No. 650 Hub Cap Wrenches.
- 6 No. 1637 Double-End Socket Wrenches, 17/64" and 39/641.
- 6 No. 613 %" Speed Brace and Socket Wrench. 6 No. 611 %" Speed Brace and Socket Wrench. 6 No. 612 %" Speed Brace and Socket Wrench.

No. 600 Salesman Display Board with 76 Wrenches, fitting Ford cars. List Price \$78.00

RIM NUT SIZES

5%" fits Kelsey, Ford, Jaxon; 11/16" fits Firestone, Goodrich, Fisk, demountable. 34" fits Baker, Buick, Continental, Detroit. 13/16" fits Stanweld No. 2 Universal. %" fits Fisk, Goodyear.

MOSSBERG RIM WRENCHES



With drawn steel flat type swivel handle and indestructible steel sockets. Length

over all 14". Diameter 1/2".

365 362 363 364 Nos. Socket Opening 41/64" 45/64" 49/64" 53/64" 57/64"

Llist Price, Each.....


\$1.10

WRENCHES FOR FORDS

MOSSBERG SOCKET WRENCH SET

No. 15

FOR FORD CARS




This set includes Wrenches which will fit every nut or bolt on the Ford car, including several special wrenches for Fords. Contains the following tools:

Ratchet Socket Wrench, No. 350; Tubular Extension Bar, 9½" long, No. 351; Universal Joint, No. 336; Double Offset Screw Driver; 5" Monkey Wrench; Spark Plug Socket, 31/32" fitting Champion X Plug; 1 Special 19/32" Oval Socket for Crank Shaft Bearing Bolts; 2 Special Taper Sockets, 17/32" and 19/32", fitting rear axle housing bolts, crank-case opening, screws, etc.; 11 Regular Black Rust-proof Finished Pressed Steel Sockets, fitting Standard screws, nuts, bolts, etc., from ¼" to 5k" Hexagon; ½" and ½" square.


WRENCHES FOR FORDS

No. 622 CRANK SHAFT BEARING **BOLT WRENCH**



A sturdy tool; length 10 " with 19/32" square speket List Price, Each......

No. 638 CONNECTION ROD CLAMP SCREW WRENCH



The most practical tool for its particular purpose. Length 9¼". Handle has 37/64 " offset. List Price, Each. \$1.25

No. 624 REVERSIBLE RATCHET CON-NECTING ROD WRENCH



A difficult adjustment at best in an inconceivably hard place to fit a wrench and turn the the bolt, but

when you once fit "624" you need not stop until the adjustment is complete, because it ratchets. List Price, Each \$2.24

No. 630 CYLINDER HEAD AND REAR AXLE HOUSING SOCKET WRENCH



"Triple End" Wrench for Fords. Fits all fa" and 72" bolts and screws. It fits the cylinder head set screws and rear axle housing nuts, both of which need special tapered sockets. List Price, Each...

No. 636 FLYWHEEL CAP SCREW WRENCH



List Price, Each.

\$1.25

No. 635 DOUBLE-END SPARK PLUG AND CYLINDER HEAD SCREW WRENCH



Socket opening, 41/64" for 76" bolts.

MOSSBERG RATCHET SOCKET WRENCH SETS

No. 30, For Fords.



Contains a compact assortment of sockets fitting Fords and is intended for the motorists' tool box. A complete popular outfit containing all socket sizes much in demand.

Set includes one No. 355 Ratchet Socket Wrench, black finish; 1 No. 351 914" nickeled extension tube; 1 No. 336 Universal Joint; 1 Double End Offset Screw Driver; 10 rust proof sockets as follows: One oval socket No. 119-F to fit main bearing bolts Fords 1915 model and earlier; 1 No. 407 spark plug socket fitting Champion "X," etc.

Hex Head Size Hex Fits U. S. Std. Fits S. A. E. Cap Screw

No.	Sockets	Bolt Size,In.	Screw Size,In.	Size In
*117-T	17/32	1/4	Å.	2
*119-T	19/32		34	36
121	21/32	17000	\sqrt{n}	Ja.
123	23/32	34	22.5	
125	25/32		1/4	3,6
129	29/32	3/2	$\frac{p}{\sqrt{p}}$	1
131	31/32	888	56.	2.0

* No. 117 is tapered to fit rear axle housing bolts and nuts.

* No. 119 is tapered to fit engine base bolts.

One No. 169 square socket 19/32" opening fitting fs" square head cap screw; 36" carriage bolt, and %" square cap screw.

Packed in neat wooden box, all tool rust proof finish.

No. 30 Socket Wrench Set. List Price

No. 632 DIFFERENTIAL PINION CASTLE END WRENCH



Enables exact adjustment, due to special shape of sockets. Length 10%".

List Price, Each..... \$.75

\$6.10

List Price, Each.....

\$.90

ADJUSTABLE WHEEL PULLERS

For Ford and Chevrolet. Mossberg No. 660.



Extra strongly made of steel and intended to withstand the hardest kind of service. Cannot injure thread. Neat black rust proof finish.

No. 660 Adjustable Wheel Puller. List Price, Each, \$1.40

TU-FORD VALVE SPRING LIFTER

Mossberg No. 653

The most ingenius and easy-acting Ford Valve Spring Lifter yet devised. Very small in size—may be carried in the pocket. Consists of a simple clamp device with thumb operated leverage. Not necessary to remove spring, as lifte



to remove spring, as lifter may be left inserted under valve while grinding.

No. 653 Tu-Ford Valve Lifter. List Price.......\$1.00

MOSSBERG UNIVERSAL VALVE GRINDER

No. 610 Adjustable



Will handle all valve grinding jobs whether valves are slotted or drilled with two holes. Bit is adjustable, as shown in illustration. Length over all 21". The entire tool is made of steel.

No. 610 Mossberg Valve Grinder. List Price, Each......\$1.00

No. 607 MOSSBERG VALVE GRINDER

For Fords



Made of steel, with flexibly fastened rocker points and folding handle. Length, 41/2" over all.

No. 607 Mossberg Valve Grinder. List Price, Each.............\$.52